

1/03/2020

WES 15 L Compact Air Water Generator

SPECIFICATIONS:

Features of the WES 15 L plug and play Atmospheric water generator.

- 15L per day water extracted from air at 80% humidity 30C;
- Storage Capacity: 6L fresh drinking water
- Power required: 110/240v
- Frequency: 50/60 hz
- Water Production Power: .375 w
- Working atmospheric Temperature: 14 - 40C
- Working atmospheric Humidity: 33 - 95%
- Unit Weight: 32 KG
- Unit Dimensions (mm): 45x45 x 56
- Room temperature water
- Leak detector alarm
- Change filters alarm
- Electrostatic air filter (Washable)
- Mineralization Carbon Filter to PH 7.8 -7.9 (slight Alkaline)
- 10 Micron Carbon Pre- Filter
- 5 Micron Carbon Post Filter
- Reverse Osmosis Filter
- Silicon/Sand/Carbon lower Tank pouch filter
- Parts Per Million less than 50
- EC less than 100
- Same filters as the 30L and 60 L by Dow.

Note:

Auto Low Humidity sleep mode at 33% with water disbursement available.

Recirculates water made daily past 2 UV lights keeping water fresh and bacteria free.

Council water Grid connection spout.



WORLD ENVIRONMENTAL SOLUTIONS P/L

WES 15 L Price..... \$1595:00

Solar components pack option Price.....\$ 2,230:00



**World Environmental Solutions Pty Ltd
PO Box 76 Pacific Palms 2428 NSW
1300 667 963**

WES

WORLD ENVIRONMENTAL SOLUTIONS P/L



World Environmental Solutions Pty Ltd
PO Box 76 Pacific Palms 2428 NSW
1300 667 963